

**Notice of Allowability**

Application No.

10/668,590

Examiner

Dung V Nguyen

Applicant(s)

GREENSLET ET AL.

Art Unit

3723

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to \_\_\_\_\_.
2. ☒ The allowed claim(s) is/are 1-22.
3. ☒ The drawings filed on 13 December 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 12/13/03
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

  
**DUNG VAN NGUYEN**  
**PRIMARY EXAMINER**

### REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: prior art of record considered as a whole alone on in combination neither anticipates nor renders obvious, comparing the media pressure downstream of the workpiece and master part to determine whether or not the differential pressure is within predetermined limits indicating whether or not the flow rate through the orifice in the workpiece is with tolerance, in combination with the rest of the limitations in claims 1 and 6; prior art of record considered as a whole alone on in combination neither anticipates nor renders obvious, stopping the extrusion through the workpiece orifices when the pressure differential of the media exiting the orifices and the media exiting the master part orifices is between predetermined limits, in combination with the rest of the limitations in claims 7 and 11; prior art of record considered as a whole alone on in combination neither anticipates nor renders obvious, a measuring device for comparing the pressure downstream of the master part and the pressure downstream of the workpiece, wherein the pressure differential is within predetermined limits, in combination with the rest of the limitations in claim 12; prior art of record considered as a whole alone on in combination neither anticipates nor renders obvious, comparing the media pressure downstream of the master part and workpiece to determine a pressure difference, calculating the flow rate through the workpiece using predetermined flow rate data about the master part, the difference in downstream pressure between the workpiece and the master part, and the

Art Unit: 3723

mathematical relationship between the orifices in the master part and workpiece, in combination with the rest of the limitations in claim 20.

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dung V Nguyen whose telephone number is 703-305-0036. The examiner can normally be reached on M-F, 6:30-3:00.

4. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph J Hail can be reached on 703-308-2687. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DVN  
August 4, 2004

  
**DUNG VAN NGUYEN**  
**PRIMARY EXAMINER**